# **MODEL CAD - CSD**

# Roof Curb Adapter • Aluminum or Steel

Page 1

## Standard Materials and Construction

## Formed Aluminum Curb Adapter

# SHELL &

**BASEPLATE:** .063" thick (nominal) aluminum alloy 3003-H14. All seams are fully welded and sprayed with protective coating. **FINISH:** Mill.

### Formed Steel Curb Adapter

SHELL &

**BASEPLATE:** 18 GA. galvanized steel. All seams are fully welded and sprayed with protective coating. **FINISH:** Mill.

#### <u>Options</u>


Aluminum Material - Available in .081" - .125" thick 3003-H14 alloy. Steel Material - Available in various gauges of galvanized, galvaneal or stainless.

**Finishes** - A wide selection of finishes include baked enamel, epoxy, or prime coat. Aluminum curb finishes include Kynar, clear or color anodize.

#### <u>Notes</u>

1. "A" width, "B" length and "C" height are outside dimensions.

2. If height or width exceed 90", multi-section construction may be required.





Item #	Qty	Width	Length	Hei	ght	Aluminum	Steel	Height Rise	ht Rise Direction	
		Opening Dimensions				Material		Pitch / Peak		Union Made
Arch. / Eng.:				EDR:		ECN:		Job:		
Contractor:									4	
Project:				Date:		DWN:		DWG:		



In the interest of product development, Arrow United reserves the right to make changes without notice.